U.S. DEPARTMENT OF COMMERCE National Technical Information Service

AD-A026 544

SPECIAL DATA COLLECTION SYSTEM (SDCS) EVENT REPORT, NEW MADRID, MISSOURI REGION, 25 MARCH 1976

TELEDYNE GEOTECH

PREPARED FOR
AIR FORCE TECHNICAL APPLICATIONS CENTER

May 1976

Ŋ

SPECIAL DATA COLLECTION SYSTEM EVENT REPORT New Madrid, Missouri Region, 25 March 1976

K.J. Hill, M.S. Dawkins, and M.D. Gillispie

Alexandrie Leboratories

Teledyne Geotech, 314 Montgomery Street, Alexandria, Virginia 22314

MAY 1976

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

Sponsored By
The Defense Advanced Research Projects Agency
Nuclear Monitoring Research Office

1400 Wilson Bouleverd, Arlington, Virginia 22209


ARPA Order No. 2897

Monitored By

VELA Seismological Center

312 Montgomery Street, Alexandria, Virginia 22314

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161



Disclaimer: Neither the Defense Advanced Research Projects Agency nor the Air Force Technical Applications Center will be responsible for information contained herein which has been supplied by other organizations or contractors, and this document is subject to later revision as may be necessary. The views and conclusions presented are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency, the Air Force Technical Applications Center, or the US Government.

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM					
SDCS-ER-76-95	3 RECIPIENT'S CATALOG NUMBER					
4. TITLE (end Subtitie)	5 TYPE OF REPORT & PERIOD CONTROL					
SPECIAL DATA COLLECTION SYSTEM (SDCS)	Technical					
New Madrid, Missouri Region, 25 March 1976	6 PERFORMING ORG REPORT NUMBER					
7 AUTHOR(a)	8 CONTRACT OR GRANT NUMBER 4.					
Hill, K. J., Dawkins, M. S.,	F08606-74-C-0013					
and Gillispie, M. D. 9 PERFORMING ORGANIZATION NAME AND ADDRESS	10 PROGRAM ELEMENT PROJECT TAGE					
Teledyne Geotech	AREA & WORK UNIT NUMBERS					
314 Montgomery Street Alexandria, Virginia 22314	T/4703					
Defense Advanced Research Projects Agency	May 28, 1976					
Nuclear Monitoring Research Office	13 NUMBER OF PAGES					
1400 Wilson BlvdArlington, Virginia 22209	16					
14 MONITORING AGENCY NAME & ADDRESS(II dillerent from Controlling Office)	15. SECURITY CLASS (at this report,					
VELA Seismological Center 312 Montgomery Street	Unclassified					
Alexandria, Virginia 22314	150. DECLASSIFICATION DOWNGRADING					
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMIT						
18 SUPPLEMENTARY NOTES						
19 KEY WORDS (Continue on reverse side if necessary and identity by block number,	,					
20 ABSTRACT (Continue on reverse side if necessery end identify by block number)						

SDCS EVENT REPORT NO. 95

New Madrid, Missouri Region, 25 March 1976

This event report contains seismic data from the Special Data Collection System (SDCS), and other sources for the above event. Published epicenter information from seismic observations is:

"P" Arrival Origin Time Lat. Long. m_b M_s NORSAR 00:52:01.4 00:41:45 38 N 089 W 4.2 N/A

Using SDCS stations, LASA and NORSAR, the epicenter location and magnitudes become

00:41:20.7 35.8N 090.5W 4.5 4.2

The programs used for LASA, NORSAR and ALPA data recovery are presently undergoing modifications. Information for LASA short-period is reported from their Teleseism Event Report; NORSAR short-period data is obtained from their bulletin. The long-period array beam recovery for these stations will be resumed upon completion of these modifications.

All SDCS stations were operational during this period.

Short-period signals associated with this event were recorded at CPSO, HN-ME, RK-ON, FN-WV, LASA and NORSAR. A possible "P" arrival is indicated on the WH2YK SP plot. All SP channels at HN-ME had polarity reversals; to correct this, mathematical inversions of the data were performed. Horizontal SP channels at HN-ME, RK-ON, FN-WV, and WH2YK were rotated. Signal clipping prevented rotation of the SP horizontal channels at CPSO.

Long-period signals were recorded at all SDCS stations. All LP channels at HN-ME had polarity reversals; to correct this, mathematical inversions of the data were performed. Horizontal LP channels at all SDCS stations were rotated.

Scaling factors on plots are millimicrons at 1 Hz (not corrected for instrument response).

STATION DESCRIPTION

SITE	ALPA	CPSO	FN-WV	LASA	HN-ME	NORSAR	RK-ON	WH2YK
LOCATION	Alaska	McMinnville, Tennessee	Franklin, West Virginia	Billings, Montana	Houlton, Maine	Kjeller, Norway	Red Lake, Ontario	White Horse,
SITE C DEG	65	35 085	38 079	46 106	46	60	50	09
MN	14	35 4	32 3	41 13	60 62	49	50	41
COORDINATES S MN SECS	00.0	41.4	58.0	19.0	43.0	25.4	20.0	41.0
TES	ZZ	ZZ	ZZ	ZZ	ZZ	NШ	ZZ	Z
ELEVATION METERS	979	574	910	744	213	379	366	853
INSTRUMENTATION SHORT-PERIOD LONG-	None	6480 V 7515 H	KS36000	HS10	KS36000	HS10	18300	18300
ENTATION LONG-PERIOD	31300	SL210 V SL220 H	KS36000	7505A V 8700C H	KS36000	7505A V 8700C H	SL210 V SL220 H	SL210 V

HYPOCENTER DETERMINATION

INPUT	FOR	EVENT	25	MAR	76
00:41:16.0	36	.000N	90.00	WOO	OKM.

		RES	IDUALS	DIST.	AZ.
STA.	ARRIVAL	CALC	REST	REST	REST
CPSO	00 42 22.5	0.5	-0.6	4.0	91.0
FN-WV	00 43 32.6	-0.5	-1.4	9.2	69.1
RK-ON	00 44 55.3	0.6	-0.0	15.2	352.3
LAO	00 45 04.8	-0.4	-1.3	16.1	317.6
HN-ME	00 45 52.8	-0.4	0.5	19.9	51.6
NAO	00 52 01.4	0.1	2.8	64.6	32.1

67 HERRIN TRAVEL TIME TABLES

ORIGIN	LAT.	LONG.	DEPTH (KM)	SDV	IT	STA
00:41:08.9	35.719N	90.544W	-90. CALC	0.5	3	6
00:41:20.7	35.762N	90.489W	O. REST	1.6	3	6

CALC						F	E	ST				
		0 .	0					0		0		
	0			1			0				1	
0		2.	2		0	0		2	? .	2		0
•	•		•	•	•	•	•	•	•	•	•	•
0		0.	1		0	0				1		0
	0			0			0				0	
		0.	0					0	•	0		

CHI2 COVERAGE ELLIPSE; 95 PER CENT CONF..LEVEL, SDV= 2.26
MAJOR 105.3KN. HINOR 28.9KM. AZ= 24 AREA= 9576 SQ.KM. REST

DATA SUMMARY

INPUT FOR EVENT 25 MAR 76 00:41:16.0 36.000N 90.000W 0KM.

ADDTVAT

CPSO NOT USED IN REST RUN SP AVG. MAG. RK-ON NOT USED IN REST RUN SP AVG. MAG. HN-ME NOT USED IN REST RUN SP AVG. MAG.

		A.	RRIV	AL				A PI	GNITU	DE			
STA.	PHASE		TI	1E	INS	T PEF	RAZI	<u>M</u> B		MS_	<u>DIR</u>	<u>DIST</u>	
CPSO M	EP	00	42	22.5	SPZ	0.8	312.	5.3	ŋ			4.0	
CPSO	LR	00	43	42.0	LPZ	13.0	525.			44		4.0	
FN-WV	EP	00	43	32.6	SPZ	99.9	9999.						
PN-WV	LQ	00	46	28.0	LPT	21.0	311.						
PN-WV	LR	00		13.0		17.0	134.		4.	21		9.2	
RK-ONM	EP	00		55.3		0.4	200.	5.2	0			15.2	
RK-ON	LQ	00	49	54.0	LPT	22.0	41.						
RK-ON	LR	00	50	44.	LPZ	17.0	150.		4.	48		15.2	
LAO	EP	00	45	04.8	SAB	99.9	9999.						
HN-MEM	EP			52.8		0.7	35.	4.2	4			19.9	
HN-ME	LQ	00	51	59.0	LPT	18.0	35.						
HN-ME	LR	00	53	23.0	LPZ	15.0	136.		4.	55		19.9	
WH2YK	LQ			00.0									
WH2YK	LR			42.0		23.0			4.	04		37.6	
NAO	EP	00	52	01.4	AB	1.0	6.	4.4	8			64.6	
ORI	GIN	L	AT.		LONG.	DEP	TH (KM)	MAG	SDV	STA	LPMAG	LPSDV	LPST
00:	41:08.9	35	719	N 9	10.544	w o.	CALC	4.48*	****	1	4.24	0.2	3
00:	41:20.7	35	.762	N S	0.489	W C.	REST	4.48*	****	1	4.24	0.2	3
CPSO 1	SEU TC	DI	1 CA	LC F	UN SP	AVG.	MAG.						
RK-ON I	NOT USE	D II	CA	LC F	UN SP	AVG.	MAG.						
HN-ME	NOT USE	DI	I CE	LC F	RON SP	AVG.	MAG.						

Short-period magnitudes (mb) used in averaging are restricted to those recorded at distances between 20 and 110 degrees from the epicenter.

Average long-period magnitude (M_S) is based on Rayleigh wave observations in the period range of 17 to 23 seconds per cycle.

